

The rollable Rescue Stretchers

RollUP RL2000 - RL3000 - RL4000

Catalogue 2023



Content

Page

The perfect rescue solution

Mountain rescue	4
Water rescue	4
Rescue in windmill	5
Urban height rescue	5
Confined space rescue	5

The Patient friendly stretcher	6
---------------------------------------	----------

The Rescuer friendly stretcher	7
---------------------------------------	----------

Choice of RollUP models

RL2000-RL3000-RL4000	8
Choice of patient restraint straps	8
Choice of lifting bridles	9

RollUP RL2000

RL2000R-V03	10
with integrated lifting bridle with fixed length	

RL2000R-V13	12
with integrated lifting bridle with adjustable length	

RL2000R-V23	14
with lifting bridle Balance	

RL2000R-V33	16
with lifting bridle Standard	

Content

Page

RollUP RL3000

RL3000R-V03 18
with integrated lifting bridle with fixed length

RL3000R-V13 20
with integrated lifting bridle with adjustable length

RL3000R-V23 22
with lifting bridle Balance

RL3000R-V33 24
for usage with lifting bridle Standard

RollUP RL4000

RL4000R-V03 26
with integrated lifting bridle with fixed length

RL4000R-V13 28
with integrated lifting bridle with adjustable length

RL4000R-V23 30
for usage with lifting bridle Balance

RL4000R-V33 32
for usage with lifting bridle Standard




Lifting bridles

BALANCE & STANDARD 34

Accessories 35

***The perfect solution for most rescue situations
with superior safety, protection and comfort for the patient and ease of use
for the rescuer - ready for everything from helicopter lifting to cave rescue***





RollUP

- the patient friendly rollable stretcher !

- **No compression of chest, hips and legs !**

Three removable crosswise affixed glass fibre stiffeners prevents the painful and dangerous compression of the chest, hips and legs while offering the same support as a rigid basket stretcher.



- **Protected spine !**

One removable lengthwise affixed stiffener protects the spine when the stretcher is pulled over an edge or rough ground.



RollUP

- the rescuer friendly rollable stretcher !

- **The underside is free of straps !**

The lifting straps are either integrated in the strap system or easily hooked into the triangular plates along the stretcher's sides. This is possible because all lifting straps and carry handles are anchored in the patented steel plates the along the edges.



- **Tested and certified !**

The RollUP stretchers successfully passed the TÜV Austria's and the German Army's tests.

TÜV tested and confirmed compliance with the following norms:

EN 813:2008 Seatbelts, EN 1497:2007 Rescue belts, EN 354:2010 Connecting straps, EN 12277:2007 Desender straps, EN 358:2000 Safety belts and connecting straps, DIN 23400:2008 Rescuestretcher for mining

The German Army has approved the stretcher for helicopter lifting.

Reg.-Nr.: 6545-2013-01, Issue 4 of 14.8.2015

RollUP stretchers are available in 3 different shapes

RL2000 Soft head area and lengthwise adjustable foot area



RL3000 Protective head area and closed foot area



RL4000 Protective head area and length adjustable foot area



- ***and each stretcher with a choice of
Patient Restraint Straps with 3 different
buckles:***

RL2000RP – RL3000RP – RL4000RP

with heavy duty plastic quick-release buckle
RLP2004HD



RL2000RS – RL3000RS – RL4000RS

with heavy duty steel frame buckle
with sliding bridge
RLP2003SB



RL2000RX – RL3000RX – RL4000RX



with heavy duty COBRA steel
quick-release buckle
RLP2006



RollUP stretchers are available with 4 different lifting bridles:



Integrated Lifting Bridle with fixed length

Art. No.	Page	
RL2000RP-V03 RL2000RS-V03 RL2000RX-V03	10-11	
RL3000RP-V03 RL3000RS-V03 RL3000RX-V03	18-19	
RL4000RP-V03 RL4000RS-V03 RL4000RX-V03	26-27	


Integrated Lifting Bridle with adjustable length

Art. No.	Page	
RL2000RP-V13 RL2000RS-V13 RL2000RX-V13	12-13	
RL3000RP-V13 RL3000RS-V13 RL3000RX-V13	20-21	
RL4000RP-V13 RL4000RS-V13 RL4000RX-V13	28-29	

Lifting Bridle Balance steplessly adjustable

Art. No.	Page	
RL2000RP-V23 RL2000RS-V23 RL2000RX-V23	14-15	
RL3000RP-V23 RL3000RS-V23 RL3000RX-V23	22-23	
RL4000RP-V23 RL4000RS-V23 RL4000RX-V23	30-31	

Standard with fixed length, RLP2034, RLP2046

Art. No.	Page	
RL2000RP-V33 RL2000RS-V33 RL2000RX-V33	16-17	
RL3000RP-V33 RL3000RS-V33 RL3000RX-V33	24-25	
RL4000RP-V33 RL4000RS-V33 RL4000RX-V33	32-33	

RollUP with integrated Lifting Bridle with fixed length

RL2000RP-V03 - RL2000RS-V03 - RL2000RX-V03

Patient restraint straps, 4 pcs

RLP2004HD (RL2000RP)

with plastic
Quick-release buckle



RLP2003SB (RL2000RS)

with steel frame buckle with
sliding bridge



RLP2006 (RL2000RX)

with Cobra
Quick-release buckle



Foot strap

RLP2219

2 pcs



Retainer strap

RLP2002



Foot support

RLP2037R



Leg protection

RLP2022-3R



Pelvis protection

RLP2022-2R



Thorax protection

RLP2022-1R



Carry handle

RLP2030

2 pcs, green



Open Ring

P28

2 pcs



Karabiner

M72A TL



Carry handles with integrated horizontal lifting strap with fixed length

RLP2228Y

2 pcs, yellow



RLP2228Y

2 pcs, black



RLP2228R

2 pcs, red



Head strap

with integrated vertical lifting strap

RLP2227

2 pcs



Spine protection

RLP2028R



Specification

Lying flat:
Length: 248 cm
Width: 92 cm

Rolled: Ø 27 cm

Weight:
RL2000RP/RS/RX-V03: 7,8kg

Working temperature:
-30°C to +50°C

Maximum load: 150 kg
(Static: 600 kg
Dynamic: 150 kg
tested & certified
by TÜV)



Rescue stretcher with integrated Lifting Straps with fixed length, Karabiner, Open Ring & Backpack Carrier

RL2000RP-V03 Patient restraint straps with Plastic Quick-release buckle

RL2000RS-V03 Patient restraint straps with steel frame buckle with sliding bridge

RL2000RX-V03 Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP200R-V01 Base plate

RLP2002 Retainer strap

RLP2227 Head strap with vertical lifting straps, 2 pcs

RLP2219 Foot strap, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 Stk.

RLP2228R Carry handle with lifting strap, red, 2 pcs

RLP2228B Carry handle with lifting strap, black, 2 pcs

RLP2228Y Carry handle with lifting strap, yellow, 2 pcs

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL2000RP-V03)

RLP2003SB Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL2000RS-V03)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL2000RX-V03)

M72ATL Steel karabiner


P28 Open Ring, 2 pcs

RLP2000R-V02 Backpack carrier



RollUP with integrated Lifting Bridle with adjustable length

RL2000RP-V13 - RL2000RS-V13 - RL2000RX-V13



Specification

Lying flat: Length: 248 cm Width: 92 cm Rolled: Ø 27 cm Weight: RL2000RP/RS/RX-V13: 8,0kg	Working temperature: -30°C to +50°C Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)
---	---



Rescue stretcher with integrated Lifting Bridle with adjustable length, Karabiner, Open Ring & Backpack Carrier

RL2000RP-V13 Patient restraint straps with plastic Quick-release buckle

RL2000RS-V13 Patient restraint straps with steel frame buckle with sliding bridge

RL2000RX-V13 Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP200R-V01 Base plate

RLP2002 Retainer strap

RLP2219 Head/Foot strap, 4 pcs.

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 pcs

RLP2228R Carry handle with lifting strap, red, 2 pcs

RLP2069B Carry handle with integrated lifting strap with adjustable length, black, 2 pcs

RLP2069Y Carry handle with integrated lifting strap with adjustable length, yellow, 2 pcs

RLP2004HD Patient restraint straps with plastic Quick-release buckle, 4 pcs (RL2000RP-V13)

RLP2003SB Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL2000RS-V13)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL2000RX-V13)

M72ATL Steel karabiner

P28 Open Ring, 2 pcs

RLP2000R-V02 Backpack carrier



RollUP for usage with Lifting Bridle BALANCE

RL2000RP-V23 - RL2000RS-V23 - RL2000RX-V23

Patient restraint straps, 4 pcs

RLP2004HD (RL2000RP)

with plastic
Quick-release buckle



RLP2003SB (RL2000RS)

with steel frame buckle with
sliding bridge



RLP2006 (RL2000RX)

with Cobra
Quick-release buckle



Foot strap

RLP2219

2 pcs



Retainer strap

RLP2002



Foot support

RLP2037R



Leg protection

RLP2022-3R



Pelvis protection

RLP2022-2R



Thorax protection

RLP2022-1R



Carry handle

RLP2030

Green, 2 pcs



Carry handle

with loop for Karabiner

RLP2307

Yellow, 2 pcs



Carry handle

with loop for Karabiner

RLP2308

Black, 2 pcs



Carry handle

with loop for Karabiner

RLP2306

Red, 2 pcs



Head strap

RLP2219

2 pcs

Spine protection

RLP2028R



Specification

Lying flat:
Length: 248 cm
Width: 92 cm

Rolled: Ø 27 cm

Weight:
RL2000RP/RS/RX-V23: 9,6kg

Working temperature:
-30°C to +50°C

Maximum load: 150 kg
(Static: 600 kg
Dynamic: 150 kg
tested & certified
by TÜV)

Lifting bridle
RLPBAX01.2



Rescue stretcher with Lifting Bridle BALANCE & Backpack Carrier

RL2000RP-V23 Patient restraint straps with Plastic Quick-release buckle

RL2000RS-V23 Patient restraint straps with steel frame buckle with sliding bridge

RL2000RX-V23 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

- RLP200R-V01** Base plate
- RLP2002** Retainer strap
- RLP2219** Head/Foot strap, 4 pcs
- RLP2030** Carry handle, green, 2 pcs
- RLP2306** Carry handle, red, 2 pcs
- RLP2307** Carry handle, yellow, 2 pcs
- RLP2308** Carry handle, black, 2 pcs
- RLP2022-1R** Thorax protection
- RLP2022-2R** Pelvis protection
- RLP2022-3R** Leg protection
- RLP2028R** Spine protection
- RLP2037R** Foot support
- RLP2004HD** Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL2000RP-V23)
- RLP2003SB** Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL2000RS-V23)
- RLP2006** Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL2000RX-V23)



RLPBAX01.2 Lifting Bridle BALANCE



RLP2007R-V02 Backpack Carrier



RollUP for usage with Lifting Bridle STANDARD

RL2000RP-V33 - RL2000RS- V33 - RL2000RX- V33

Patient restraint straps, 4 pcs

RLP2004HD (RL2000RP)

with plastic
Quick-release buckle



RLP2003SB (RL2000RS)

with steel frame buckle with
sliding bridge



RLP2006 (RL2000RX)

with Cobra
Quick-release buckle



Foot strap

RLP2219

2 pcs



Retainer strap

RLP2002



Foot support

RLP2037R



Leg protection

RLP2022-3R



Pelvis protection

RLP2022-2R



Thorax protection
RLP2022-1R



Carry handle

RLP2030

Green, 2 pcs



Carry handle

with loop for Karabiner

RLP2307

Yellow, 2 pcs



Carry handle

with loop for Karabiner

RLP2308

Black, 2 pcs



Carry handle

with loop for Karabiner

RLP2306

Red, 2 pcs



Head strap

RLP2227

2 pcs

Spine protection

RLP2028R



Lifting bridle

RLP2034



Karabiner

M72ATL



Specification

Lying flat:
Length: 248 cm
Width: 92 cm

Rolled: Ø 27 cm

Weight:
RL2000RP/RS/RX-V33: 8,3kg

Working temperature:
-30°C to +50°C

Maximum load: 150 kg
(Static: 600 kg
Dynamic: 150 kg
tested & certified
by TÜV)



Rescue stretcher with Lifting Bridle STANDARD & Backpack Carrier

RL2000RP-V33 Patient restraint straps with Plastic Quick-release buckle

RL2000RS-V33 Patient restraint straps with steel frame buckle with sliding bridge

RL2000RX-V33 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP200R-V01 Base plate

RLP2002 Retainer strap

RLP2227 Head strap with vertical lift strap, 2 pcs

RLP2219 Foot strap, 2 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL2000RP-V33)

RLP2003SB Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL2000RS-V33)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL2000RX-V33)

RLP2034 Lifting Bridle STANDARD

M72ATL Steel karabiner

RLP2007R-V02 Backpack Carrier



RollUP with integrated Lifting Bridle with fixed length **RL3000RP-V03 - RL3000RS-V03 - RL3000RX-V03**

Patient restraint straps, 4 pcs

RLP2004HD (RL3000RP)

with plastic
Quick-release buckle



RLP2003SB (RL3000RS)

with steel frame buckle with
sliding bridge



RLP2006 (RL3000RX)

with Cobra
Quick-release buckle



Foot strap

RLP2006F

2 pcs




Retainer strap

RLP2002



Foot support

RLP2037R



Leg protection **RLP2022-3R**



Pelvis protection **RLP2022-2R**



Thorax protection **RLP2022-1R**



Carry handle **RLP2030** 2 pcs, green



Carry handles with integrated horizontal lifting strap with fixed length

RLP2228Y
2 pcs, yellow



RLP2228B
2 pcs, black



RLP2228R
2 pcs, red



Open Ring **P28** 2 pcs



Vertical lifting strap **RLP2217** pair



Spine protection **RLP2028R**



Karabiner **M72ATL**

Specification

Lying flat:
Length: 254 cm
Width: 92 cm

Rolled: Ø 27 cm

Weight:
RL3000RP/RS/RX-V03: 8,5kg

Working temperature:
-30°C to +50°C

Maximum load: 150 kg
(Static: 600 kg
Dynamic: 150 kg
tested & certified
by TÜV)



Rescue stretcher with integrated

Lifting Straps with fixed length, Karabiner, Open Ring & Backpack Carrier

RL3000RP-V03

Patient restraint straps with plastic Quick-release buckle

RL3000RS-V03

Patient restraint straps with steel frame buckle with sliding bridge

RL3000RX-V03

Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP300R-V01 Base plate

RLP2002 Retainer strap

RLP2217 Vertical lift strap, pair

RLP2006F Foot strap, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 Stk.

RLP2228R Carry handle with integrated lifting strap, red, 2 pcs

RLP2228B Carry handle with integrated lifting strap, black, 2 pcs

RLP2228Y Carry handle with integrated lifting strap, yellow, 2 pcs

RLP2004HD Patient restraint straps with plastic Quick-release buckle, 4 pcs (RL3000RP-V03)

RLP2003SB Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL3000RS-V03)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL3000RX-V03)

M72ATL Steel karabiner 


P28 Open Ring, 2 pcs 

RLP2000R-V02 Backpack carrier



RollUP with integrated Lifting Bridle with adjustable length

RL3000RP-V13 - RL3000RS-V13 - RL3000RX-V13



Specification

Lying flat: Length: 254 cm Width: 92 cm Rolled: Ø 27 cm Weight: RL3000RP/RS/RX-V13: 8,7kg	Working temperature: -30°C to +50°C Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)
--	--



Rescue stretcher with integrated Lifting Bridle with adjustable length, Karabiner, Open Ring & Backpack Carrier

RL3000RP-V13 Patient restraint straps with plastic Quick-release buckle

RL3000RS-V13 Patient restraint straps with steel frame buckle with sliding bridge

RL3000RX-V13 Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP300R-V01 Base plate

RLP2002 Retainer strap

RLP2006F Foot strap, 2 pcs.

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 Stk.

RLP2228R Carry handle with lifting strap, red, 2 pcs

RLP2069B Carry handle with integrated lifting strap with adjustable length, black, 2 pcs

RLP2069Y Carry handle with integrated lifting strap with adjustable length, yellow, 2 pcs

RLP2004HD Patient restraint straps with plastic Quick-release buckle, 4 pcs (RL3000RP-V13)

RLP2003SB Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL3000RS-V13)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL3000RX-V13)

M72ATL Steel karabiner



P28 Open Ring, 2 pcs



RLP2000R-V02 Backpack carrier



RollUP for usage with Lifting Bridle BALANCE

RL3000RP-V23 - RL3000RS-V23 - RL3000RX-V23

Patient restraint straps, 4 pcs

RLP2004HD (RL3000RP)

with plastic
Quick-release buckle



RLP2003SB (RL3000RS)

with steel frame buckle with
sliding bridge



RLP2006 (RL3000RX)

with Cobra
Quick-release buckle



Foot strap

RLP2006F

2 pcs




Retainer strap

RLP2002



Foot support

RLP2037R



Leg protection

RLP2022-3R



Pelvis protection

RLP2022-2R



Thorax protection

RLP2022-1R



Carry handle

RLP2030

Green, 2 pcs



Carry handle with loop for Karabiner

RLP2307

Yellow, 2 pcs



Carry handle with loop for Karabiner

RLP2308

Black, 2 pcs



Carry handle with loop for Karabiner

RLP2306

Red, 2 pcs



Spine protection

RLP2028R



Lifting bridle

RLPBAX01.2



Specification

Lying flat:
Length: 254 cm
Width: 92 cm

Rolled: Ø 27 cm

Weight:
RL3000RP/RS/RX-V23: 10,3kg

Working temperature:
-30°C to +50°C

Maximum load: 150 kg
(Static: 600 kg
Dynamic: 150 kg
tested & certified
by TÜV)

Rescue stretcher with Lifting Bridle **BALANCE** & Backpack Carrier

RL3000RP-V23 Patient restraint straps with Plastic Quick-release buckle

RL3000RS-V23 Patient restraint straps with steel frame buckle with sliding bridge

RL3000RX-V23 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP300R-V01 Base plate

RLP2002 Retainer strap

RLP2006F Foot strap, 2 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs.

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL3000RP-V23)

RLP2003SB Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL3000RS-V23)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL3000RX-V23)



RLPBAX01.2 Lifting Bridle **Balance**

RLP2007R-V02 Backpack Carrier



RollUP for usage with Lifting Bridle STANDARD

RL3000RP-V33 - RL3000RS-V33 - RL3000RX-V33

Patient restraint straps, 4 pcs

RLP2004HD (RL3000RP)

with plastic
Quick-release buckle



RLP2003SB (RL3000RS)

with steel frame buckle with
sliding bridge



RLP2006 (RL3000RX)

with Cobra
Quick-release buckle



Foot strap

RLP2006F

2 pcs




Retainer strap

RLP2002



Foot support

RLP2037R



Leg protection

RLP2022-3R



Pelvis protection

RLP2022-2R



Thorax protection

RLP2022-1R



Carry handle

RLP2030

Green, 2 pcs



Carry handle

with loop for Karabiner

RLP2307

Yellow, 2 pcs



Carry handle

with loop for Karabiner

RLP2308

Black, 2 pcs



Carry handle

with loop for Karabiner

RLP2306

Red, 2 pcs



Spine protection

RLP2028R



Vertical lifting strap

RLP2217

pair



Karabiner

M72ATL

Specification

Lying flat:
Length: 254 cm
Width: 92 cm

Rolled: Ø 27 cm

Weight:
RL3000RP/RS/RX-V33: 9,0kg

Working temperature:
-30°C to +50°C

Maximum load: 150 kg
(Static: 600 kg
Dynamic: 150 kg
tested & certified
by TÜV)

Lifting bridle

RLP2034



Rescue stretcher with Lifting Bridle STANDARD & Backpack Carrier

RL3000RP-V33 Patient restraint straps with Plastic Quick-release buckle

RL3000RS-V33 Patient restraint straps with steel frame buckle with sliding bridge

RL3000RX-V33 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP300R-V01 Base plate

RLP2002 Retainer strap

RLP2006F Foot strap, 2 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs.

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL3000RP-V33)

RLP2003SB Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL3000RS-V33)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL3000RX-V33)

RLP2034 Lifting Bridle STANDARD

RLP2217 Vertical Lifting strap, pair

M72ATL Karabiner

RLP2007R-V02 Backpack Carrier



RollUP with integrated Lifting Bridle with fixed length

RL4000RP-V03 - RL4000RS-V03 - RL4000RX-V03

Patient restraint straps, 4 pcs

RLP2004HD (RL4000RP)

with plastic
Quick-release buckle



RLP200SB (RL4000RS)

with steel frame buckle with
sliding bridge



RLP2006 (RL4000RX)

with Cobra
Quick-release buckle



Foot strap

RLP2219

2 pcs




Retainer strap

RLP2002



Foot support

RLP2037R



Leg protection

RLP2022-3R



Pelvis protection

RLP2022-2R



Thorax protection

RLP2022-1R



Carry handle

RLP2030

2 pcs, green



Karabiner

M72ATL



Open Ring

P28

2 pcs



**Carry handles with
integrated horizontal
lifting strap with fixed
length**

RLP2228Y

2 pcs, yellow

RLP2228B

2 pcs, black

RLP2228R

2 pcs, red



Vertical lifting strap

RLP2217

pair



Spine protection

RLP2028R



Specification

Lying flat:
Length: 248 cm
Width: 92 cm

Rolled: Ø 27 cm

Weight:
RL4000RP/RS/RX-V03: 8,3kg

Working temperature:
-30°C to +50°C

Maximum load: 150 kg
(Static: 600 kg
Dynamic: 150 kg
tested & certified
by TÜV)



Rescue stretcher with integrated Lifting Straps with fixed length, Karabiner, Open Ring & Backpack Carrier

RL4000RP-V03 Patient restraint straps with plastic Quick-release buckle

RL4000RS-V03 Patient restraint straps with steel frame buckle with sliding bridge

RL4000RX-V03 Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP400R-V01 Base plate

RLP2002 Retainer strap

RLP2217 Vertical lift strap, pair

RLP2219 Foot strap, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 Stk.

RLP2228R Carry handle with lifting strap, red, 2 pcs

RLP2228B Carry handle with lifting strap, black, 2 pcs

RLP2228Y Carry handle with lifting strap, yellow, 2 pcs

RLP2004HD Patient restraint straps with plastic Quick-release buckle, 4 pcs (RL4000RP-V03)

RLP2003SB Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL4000RS-V03)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL4000RX)

M72ATL Steel karabiner



P28 Open Ring, 2 pcs




RLP2000R-V02 Backpack carrier



RollUP with integrated Lifting Bridle with adjustable length

RL4000RP-V13 - RL4000RS-V13 - RL4000RX-V13



Specification

Lying flat: Length: 248 cm Width: 92 cm Rolled: Ø 27 cm Weight: RL4000RP/RS/RX-V13: 8,5kg	Working temperature: -30°C to +50°C Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)
--	--



Rescue stretcher with integrated Lifting Bridle with adjustable length, Karabiner, Open Ring & Backpack Carrier

RL4000RP-V13 Patient restraint straps with plastic Quick-release buckle

RL4000RS-V13 Patient restraint straps with steel frame buckle with sliding bridge

RL4000RX-V13 Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP400R-V01 Base plate

RLP2002 Retainer strap

RLP2219 Foot strap, 2 pcs.

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 Stk.

RLP2228R Carry handle with lifting strap, red, 2 pcs

RLP2069B Carry handle with integrated lifting strap with adjustable length, black, 2 pcs

RLP2069Y Carry handle with integrated lifting strap with adjustable length, yellow, 2 pcs

RLP2004HD Patient restraint straps with plastic Quick-release buckle, 4 pcs (RL4000RP-V13)

RLP2003SB Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL4000RS-V13)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL4000RX-V13)

M72ATL Steel karabiner



P28 Open Ring, 2 pcs




RLP2000R-V02 Backpack carrier




RollUP for usage with Lifting Bridle BALANCE

RL4000RP-V23 - RL4000RS-V23 - RL4000RX-V23



Specification

Lying flat: Length: 248 cm Width: 92 cm Rolled: Ø 27 cm Weight: RL4000RP/RS/RX -V23: 10,1 kg	Working temperature: -30°C to +50°C Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)
--	---



Rescue stretcher with Lifting Bridle BALANCE & Backpack Carrier

RL4000RP-V23 Patient restraint straps with Plastic Quick-release buckle

RL4000RS-V23 Patient restraint straps with steel frame buckle with sliding bridge

RL4000RX-V23 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP400R-V01 Base plate

RLP2002 Retainer strap

RLP2219 Head/Foot strap, 2 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs.

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL4000RP-V23)

RLP2003SB Patient restraint straps with steel frame buckle, 4 pcs (RL4000RS-V23)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL4000RX-V23)


RLPBAX01.2 Lifting Bridle Balance

RLP2007R-V02 Backpack Carrier



RollUP for usage with Lifting Bridle STANDARD

RL4000RP-V33 - RL4000RS-V33 - RL4000RX-V33



Specification

Lying flat:
 Length: 248 cm
 Width: 92 cm

Rolled: Ø 27 cm

Weight:
 RL4000RP/RS/RX -V33: 8,8 kg

Working temperature:
 -30°C to +50°C

Maximum load: 150 kg
 (Static: 600 kg
 Dynamic: 150 kg
 tested & certified
 by TÜV)

Lifting bridle
RLP2034



Rescue stretcher with Lifting Bridle STANDARD & Backpack Carrier

RL4000RP-V33 Patient restraint straps with Plastic Quick-release buckle

RL4000RS-V33 Patient restraint straps with steel frame buckle with sliding bridge

RL4000RX-V33 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP400R-V01 Base plate

RLP2002 Retainer strap

RLP2219 Head/Foot strap, 4 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs.

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL4000RP-V33)

RLP2003SB Patient restraint straps with steel frame buckle, 4 pcs (RL4000RS-V33)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL4000RX-V33)

RLP2034 Lifting Bridle STANDARD



RLP2217 Vertical Lifting strap, pair



M72ATL Karabiner



RLP2007R-V02 Backpack Carrier



Lifting Bridle BALANCE with stepless tilting function

RLPBAX01

Basic system


RLPBRX01

Positioning device for one rescuer



RLPBAX01.2
Weight: 2,2kg

RLPBRX01
Weight: 0,7kg



Lifting bridles STANDARD

RLP2034

length medium



RLP2046

length long



RLP2217

Vertical lifting
straps



Accessories



Tow straps

RLP2044

Tow strap with 2 handles & 2 karabiner, adjustable length



RLP2215SK

Tow strap with 2 handles & 2 karabiner, fixed length



Straps for patient positioning and fixing

RLP2226-V02

Foot straps for patient positioning and fixing, adjustable length



RLP2236

Shoulder straps for patient positioning and fixing, adjustable length



Pillow

VK20X02

Pillow, Inflatable



RLP2070R

Flotation device, rigid



RLP101

Flotation device, inflatable



Anti-Rotation-Rudder, foldable

RLP2600R-V01



Backpack carrier

RLP2007R-V04

Ergonomical, Heavy Duty

Diameter Ø 30 cm, Weight: 1,8 kg

