
PELI
2025
AIR CASES
CATALOGUE

# AIR CASES

Peli Air cases have set a new benchmark in protective solutions, combining rugged durability with unmatched portability. Engineered for professionals and adventurers alike, these cases are up to 40% lighter than standard polymer cases, offering a perfect balance between strength and convenience. Whether safeguarding everyday essentials or extraordinary gear, Peli Air cases deliver trusted performance wherever your journey takes you.

Developed through years of meticulous engineering, Peli Air cases leverage advanced materials and design. Featuring proprietary HPX™ resin, honeycomb structural elements, and super-stiff full-box sections, these cases achieve an exceptional blend of lightness and strength. Manufactured in the U.S. and Germany and backed by Peli's legendary lifetime guarantee, they embody reliability you can count on.


**FEATURES** 4-5

**PRODUCTS** 6-13

**SPECIFICATIONS** 14-17

**ACCESSORIES & APPLICATIONS** 18-23

Protection Solutions 18

Travel Cases 20

Lightweight Protection For Anyone 22





For the most up-to-date information, please visit www.peli.com

# AIR CASES

LIFETIME GUARANTEE




### UP TO 40& LIGHTER

From our proprietary blend of super-light next gen HPX2™ resin, the Peli Air collection is unique in that it is less rigid, allowing the case to flex and bend without breaking and to be up to 40% lighter than other polymer cases.

### PRESS & PULL LATCHES

These smooth-opening, patented latches hold tight under pressure and impact with easy-opening performance. Tested to over 180 kg (400lbs.), yet open with a simple release button.

### WATERTIGHT O-RING GASKET

The secret is the tongue and groove fit with a polymer o-ring which creates a watertight seal that gives each case its IP67 waterproof rating. Made from neoprene, these gaskets fit securely into a groove in the case lid, ensuring a tight seal when latched.

### STAINLESS STEEL HASP PROTECTORS

Stainless steel hasp protectors for added strength and secure padlock compatibility, ensuring extra durability.

### CARD HOLDER

Removable polycarbonate card holder, with front or side placement.

### AUTOMATIC PURGE VALVE

Keeps water and dust out while balancing air pressure.



For the most up-to-date information, please visit www.peli.com

# PELI™ AIR

SEE ALL

**IP67 WATERTIGHT**
Dustproof and waterproof up to depths of 1 meter for thirty minutes.

**PRESS & PULL LATCHES**
The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.

**PANEL FRAME**
This case can be adapted for use with an electronic interface panel.

**45% DEEPER**
With over 33 cm of depth, these cases have room for your deeper shaped equipment.

**WHEELED CASE**
Quiet rolling stainless-steel bearing wheels.

## 1505

**INTERNAL DIMS:**
46.5 x 33.7 x 13.9 cm
(18.29" x 13.26" x 5.46")
**EXTERNAL DIMS:**
51.4 x 41.6 x 15.5 cm
(20.22" x 16.38" x 6.10")
**LID/BOTTOM DEPTH:**
4.9 cm / 9 cm
1.93" / 3.53"
**WEIGHT:**
3 kg (6.55 lbs) WITH FOAM
2.6 kg (5.80 lbs) NO FOAM

NEW



## 1507

**INTERNAL DIMS:**
38.5 x 28.9 x 21.6 cm
(15.15 x 11.38 x 8.52")
**EXTERNAL DIMS:**
42.8 x 35.8 x 23.5 cm
(16.87 x 14.10 x 9.27")
**LID/BOTTOM DEPTH:**
5.2 cm / 16.5 cm)
(1.75" / 4.37")
**WEIGHT:**
2.9 kg (6.43 lbs) WITH FOAM
2.4 kg (5.24 lbs) NO FOAM



## 1557

**INTERNAL DIMS:**
44 x 33 x 24.8 cm
(17.33 x 13.00 x 9.75")
**EXTERNAL DIMS:**
48.7 x 40.1 x 26.7 cm
(19.18 x 15.79 x 10.50")
**LID/BOTTOM DEPTH:**
5.1 cm / 19.6 cm
(2.00" / 7.70")
**WEIGHT:**
3.7 kg (8.20 lbs) WITH FOAM
3 kg (6.60 lbs) NO FOAM



## 1485

**INTERNAL DIMS:**
45.1 x 25.9 x 15.6 cm
(17.75 x 10.18 x 6.15")
**EXTERNAL DIMS:**
48.7 x 32.5 x 17.5 cm
(19.17 x 12.80 x 6.89")
**LID/BOTTOM DEPTH:**
4.6 cm / 11 cm
(1.80" / 4.35)
**WEIGHT:**
2.4 kg (5.39 lbs) WITH FOAM
2.1 kg (4.57 lbs.) NO FOAM






*These colours are available upon minimum quantities, as well as other configurations.
Check with your Customer Service representative for further details.

CASE CONTENTS NOT INCLUDED


For the most up-to-date information, please visit www.peli.com



## 1465 EMS AIR

**INTERNAL DIMS:**
47.3 x 25.4 x 27.8 cm
(18.62 x 9.99 x 10.93")
**EXTERNAL DIMS:**
52.9 x 32.1 x 32.4 cm
(20.83 x 12.62 x 12.75")
**LID/BOTTOM DEPTH:**
12.5 cm / 15.2 cm
(4.94" / 5.99")
**WEIGHT (EMPTY):**
6 kg (13.30 lbs.)



## 1465

**INTERNAL DIMS:**
47.3 x 25.4 x 27.8 cm
(18.62 x 9.99 x 10.93")
**EXTERNAL DIMS:**
52.9 x 32.1 x 32.4 cm
(20.83 x 12.62 x 12.75")
**LID/BOTTOM DEPTH:**
12.5 cm / 15.2 cm
(4.94" / 5.99")
**WEIGHT:**
4 kg (8.78 lbs) WITH FOAM
3.2 kg (7.12 lbs) NO FOAM



## 1506 AIR LONG/DEEP

**INTERNAL DIMS:**
47.5 x 23.9 x 19.8 cm
(18.70" x 9.40" x 7.80")
**EXTERNAL DIMS:**
51.1 x 30.5 x 21.7 cm
(20.12" x 12.02" x 8.56")
**LID/BOTTOM DEPTH:**
5.1 cm / 14.7 cm
(2" / 5.8")
**WEIGHT:**
2.9 kg (6.30 lbs) WITH FOAM
2.4 kg (5.35 lbs) NO FOAM



## 1535 CARRY-ON CASE**

**INTERNAL DIMS:**
51.8 x 28.4 x 18.3 cm
(20.39" x 11.20" x 7.21")
**EXTERNAL DIMS:**
55.8 x 35.5 x 22.8 cm
(21.96" x 13.97" x 8.98")
**LID/BOTTOM DEPTH:**
5.1 cm / 13.2 cm
(2.00" / 5.21")
**WEIGHT:**
4.5 kg (9.98 lbs) WITH FOAM
3.9 kg (8.69 lbs) NO FOAM



* These colours are available upon minimum quantities, as well as other configurations.
Check with your Customer Service representative for further details.
** Check with your airline for exact measurement requirements.

CASE CONTENTS NOT INCLUDED








Photo by Ana Catarina

## 1535TRVL CARRY-ON CASE**

**INTERNAL DIMS:**
51.8 x 28.4 x 18.3 cm
(20.39" x 11.20" x 7.21")
**EXTERNAL DIMS:**
55.8 x 35.5 x 22.8 cm
(21.96" x 13.97" x 8.98")
**LID/BOTTOM DEPTH:**
5.1 cm / 13.2 cm
(2.00" / 5.21")
**WEIGHT (WITH ORGANIZERS):**
5.5 kg (12.10 lbs)



## 1525

**INTERNAL DIMS:**
52.1 x 28.7 x 17.1 cm
(20.50" x 11.31" x 6.75")
**EXTERNAL DIMS:**
55.8 x 35.5 x 19 cm
(21.96" x 13.97" x 7.49")
**LID/BOTTOM/TOTAL DEPTH:**
5.1 cm / 12.1 cm / 17.1 cm
(2.00" / 4.75" / 6.75")
**WEIGHT:**
3.2 kg (7.13 lbs) WITH FOAM
2.7 kg (5.99 lbs) NO FOAM



## ICONOGRAPHY

### AIR

**IP67 WATERTIGHT**
Dustproof and waterproof up to depths of 1 meter for thirty minutes.

**PRESS & PULL LATCHES**
The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.

**WHEELED CASE**
Quiet rolling stainless-steel bearing wheels.

* These colours are available upon minimum quantities, as well as other configurations.
Check with your Customer Service representative for further details.
** Check with your airline for exact measurement requirements.

CASE CONTENTS NOT INCLUDED

## 1607



**INTERNAL DIMS:**
53.5 x 40.2 x 29.5 cm
(21.05" x 15.81" x 11.63")

**EXTERNAL DIMS:**
61.3 x 47.8 x 33.7 cm
(24.13" x 18.80" x 13.25")

**LID/BOTTOM DEPTH:**
5.1 cm / 24.2 cm
2" / 9.6"

**WEIGHT (EMPTY):**
7.3 kg (16.10 lbs) WITH FOAM
6.0 kg (13.20 lbs) NO FOAM

## 1556



**INTERNAL DIMS:**
54.9 x 27.3 x 22.8 cm
(21.63" x 10.76" x 8.97")

**EXTERNAL DIMS:**
59.5 x 34.3 x 26.8 cm
(23.43" x 13.52" x 10.57")

**LID/BOTTOM DEPTH:**
5.1 cm / 17.7 cm
(2" / 6.97")

**WEIGHT:**
5.1 kg (11.20 lbs) WITH FOAM
4.4 kg (9.75 lbs) NO FOAM

## 1555



**INTERNAL DIMS:**
58.4 x 32.4 x 19.1 cm
(23.00 x 12.75 x 7.50")

**EXTERNAL DIMS:**
62.9 x 39.3 x 20.9 cm
(24.76 x 15.46 x 8.24")

**LID/BOTTOM DEPTH:**
5.1 cm / 14 cm
(2" / 5.5")

**WEIGHT:**
4.1 kg (9.02 lbs) WITH FOAM
3.3 kg (7.37 lbs) NO FOAM

## 1637



**INTERNAL DIMS:**
59.5 x 44.6 x 33.7 cm
(23.43 x 17.55 x 13.25")

**EXTERNAL DIMS:**
67.6 x 52.5 x 37.8 cm
(26.61 x 20.65 x 14.87")

**LID/BOTTOM DEPTH:**
5.1 cm / 28.4 cm
(2" / 11.2")

**WEIGHT (EMPTY):**
8.8 kg (19.40 lbs) WITH FOAM
6.9 kg (15.20 lbs) NO FOAM

## 1606



**INTERNAL DIMS:**
62.3 x 31.2 x 26 cm
(24.54 x 12.30 x 10.22")

**EXTERNAL DIMS:**
69.6 x 38.4 x 30 cm
(27.42 x 15.13 x 11.83")

**LID/BOTTOM DEPTH:**
5.1 cm / 20.9 cm
(2" / 8.22")

**WEIGHT:**
6.7 kg (14.67 lbs) WITH FOAM
5.6 kg (12.45 lbs) NO FOAM

CASE CONTENTS NOT INCLUDED



## ICONOGRAPHY

### AIR

**IP67 WATERTIGHT**
Dustproof and waterproof up to depths of 1 meter for thirty minutes.

**PRESS & PULL LATCHES**
The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.

**45% DEEPER**
With over 33 cm of depth, these cases have room for your deeper shaped equipment.

**WHEELED CASE**
Quiet rolling stainless-steel bearing wheels.




## 1595 CHECK-IN CASE**

**INTERNAL DIMS:**
65 x 38.2 x 22.9 cm
(25.60" x 15.03" x 9.00")
**EXTERNAL DIMS:**
72.4 x 45.2 x 27.2 cm
(28.52" x 17.80" x 10.70")
**LID/BOTTOM DEPTH:**
5.1 cm / 17.6 cm
(2.00" / 6.92")
**WEIGHT:**
7.4 kg (16.35 lbs) WITH FOAM
6.2 kg (13.60 lbs) NO FOAM



## 1595TRVL CHECK-IN CASE**

**INTERNAL DIMS:**
64.8 x 37.6 x 22.7 cm
(25.53" x 14.82" x 8.92")
**EXTERNAL DIMS:**
72.4 x 45.4 x 27.3 cm
(28.52" x 17.89" x 10.73")
**LID/BOTTOM DEPTH:**
5.1 cm / 17.6 cm
(2.00" / 6.92")
**WEIGHT (WITH ORGANIZERS):**
7.3 kg (16.10 lbs)



## 1605

**INTERNAL DIMS:**
66 x 35.6 x 21.3 cm
(26.00 x 14.00 x 8.38")
**EXTERNAL DIMS:**
73.3 x 42.6 x 23.2 cm
(28.87 x 16.77 x 9.12")
**LID/BOTTOM DEPTH:**
5.1 cm / 16.2 cm
(2" / 6.38")
**WEIGHT:**
5.3 kg (11.61 lbs) WITH FOAM
4.2 kg (9.28 lbs) NO FOAM



## 1626

**INTERNAL DIMS:**
71.5 x 35.8 x 29.8 cm
(28.14 x 14.10 x 11.72")
**EXTERNAL DIMS:**
79 x 43.3 x 33.9 cm
(31.12 x 17.05 x 13.33")
**LID/BOTTOM DEPTH:**
5.1 cm / 24.7 cm
(2" / 9.72")
**WEIGHT (EMPTY):**
8.2 kg (18.10 lbs) WITH FOAM
6.6 kg (14.65 lbs) NO FOAM



* These colours are available upon minimum quantities, as well as other configurations. Check with your Customer Service representative for further details.
** Check with your airline for exact measurement requirements.

CASE CONTENTS NOT INCLUDED



## 1615 CHECK-IN CASE**

**INTERNAL DIMS:**
75.2 x 39.4 x 23.8 cm
(29.59 x 15.50 x 9.38")
**EXTERNAL DIMS:**
82.8 x 46.7 x 28 cm
(32.58 x 18.40 x 11.02")
**LID/BOTTOM DEPTH:**
5.1 cm / 18.7 cm
(2" / 7.38")
**WEIGHT (EMPTY):**
8 kg (17.60 lbs) WITH FOAM
6.4 kg (14.06 lbs) NO FOAM



## 1615TRVL CHECK-IN CASE**

**INTERNAL DIMS:**
75.2 x 39.4 x 23.8 cm
(29.59 x 15.50 x 9.38")
**EXTERNAL DIMS:**
82.8 x 46.7 x 28 cm
(32.58 x 18.40 x 11.02")
**LID/BOTTOM DEPTH:**
5.1 cm / 18.7 cm
(2" / 7.38")
**WEIGHT (WITH ORGANIZERS):**
8.6 kg (19.00 lbs)



## 1646

**INTERNAL DIMS:**
81.4 x 40.3 x 34.1 cm
(32.06" x 15.87" x 13.42")
**EXTERNAL DIMS:**
89.6 x 48.3 x 38.3 cm
(35.29" x 19.00" x 15.08")
**LID/BOTTOM DEPTH:**
5 cm / 29.1 cm
(1.98" / 11.44")
**WEIGHT (EMPTY):**
11.7 kg (25.70 lbs) WITH FOAM
9.3 kg (20.50 lbs) NO FOAM



## 1705

NEW

**INTERNAL DIMS:**
81.3 x 30.9 x 16.5 cm
(32.01" x 12.15" x 6.51")
**EXTERNAL DIMS:**
82 x 37 x 18.5 cm
(32.27" x 14.56" x 7.30")
**LID/BOTTOM DEPTH:**
5.1 cm / 10.9 cm
(2" / 4.31")
**WEIGHT:**
4.8 kg (10.55 lbs) WITH FOAM
4 kg (8.90 lbs) NO FOAM



## 1745

**INTERNAL DIMS:**
111.8 x 42.6 x 20.3 cm
(44.00 x 16.77 x 8.00")
**EXTERNAL DIMS:**
118.6 x 49.2 x 22.2 cm
(46.69 x 19.36 x 8.73")
**LID/BOTTOM DEPTH:**
6.4 cm / 13.8 cm
(2.51" / 5.43")
**WEIGHT (EMPTY):**
9.6 kg (21.06 lbs) WITH FOAM
7.8 kg (17.26 lbs) NO FOAM



## 1755

**INTERNAL DIMS:**
139.7 x 35.6 x 20.3 cm
(55.00" x 14.00" x 8.00")
**EXTERNAL DIMS:**
146.9 x 43.9 x 22.5 cm
(57.82" x 17.30" x 8.86")
**LID/BOTTOM DEPTH:**
6.4 cm / 14 cm
(2.5" / 5.5")
**WEIGHT:**
11.3 kg (25.00 lbs) WITH FOAM
9.1 kg (20.00 lbs) NO FOAM



## ICONOGRAPHY

### AIR

**IP67 WATERTIGHT**
Dustproof and waterproof up to depths of 1 meter for thirty minutes.

**PRESS & PULL LATCHES**
The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.

**WHEELED CASE**
Quiet rolling stainless-steel bearing wheels.

* These colours are available upon minimum quantities, as well as other configurations. Check with your Customer Service representative for further details.
** Check with your airline for exact measurement requirements.

CASE CONTENTS NOT INCLUDED

# AIR CASES
## SPECIFICATIONS

| CAT. NO. | INTERIOR DIMENSIONS | EXTERIOR DIMENSIONS | LID DEPTH | BOTTOM DEPTH | WEIGHT WITH FOAM | WEIGHT WITHOUT FOAM | BUOYANCY MAXIMUM | TEMPERATURE RANGE (Min/Max) | CERTIFICATES | TREKPAK™ | PADDED DIVIDERS | RUBBERISED HANDLES | PANEL FRAMES | PERSONALISED NAMEPLATE | LID ORGANISER | WHEELS | COLOURS | CAT. NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **1505** | 46.5 x 33.7 x 13.9 cm | 51.4 x 41.6 x 15.5 cm | 4.9 cm | 9 cm | 3 kg | 2.6 kg | 24.5 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | O | | S | | S | | | ■ | **1505** |
| **1507** | 38.5 x 28.9 x 21.6 cm | 42.8 x 35.8 x 23.5 cm | 5.2 cm | 16.5 cm | 2.9 kg | 2.4 kg | 24.5 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | | ■ ■ ■ ■ | **1507** |
| **1557** | 44 x 33 x 24.8 cm | 48.7 x 40.1 x 26.7 cm | 5.1 cm | 19.6 cm | 3.7 kg | 3.0 kg | 36.3 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | O | O | S | | S | | | ■ ■ ■ ■* | **1557** |
| **1485** | 45.1 x 25.9 x 15.6 cm | 48.7 x 32.5 x 17.5 cm | 4.6 cm | 11 cm | 2.4 kg | 2.1 kg | 18.6 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | O | O | S | | S | | | ■ ■ ■* | **1485** |
| **1465EMS** | 47.3 x 25.4 x 27.8 cm | 52.9 x 32.1 x 32.4 cm | 12.5 cm | 15.2 cm | | 6 kg | 37.2 kg | -51 / 71 °C | | | | S | | S | | | ■ | **1465EMS** |
| **1465** | 47.3 x 25.4 x 27.8 cm | 52.9 x 32.1 x 32.4 cm | 12.5 cm | 15.2 cm | 4 kg | 3.2 kg | 37.2 kg | -51 / 71 °C | | | | S | | S | | | ■ | **1465** |
| **1506** | 47.5 x 23.9 x 19.8 cm | 51.1 x 30.5 x 21.7 cm | 5.1 cm | 14.7 cm | 2.9 kg | 2.4 kg | 23.4 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | O | | S | | S | | | ■ | **1506** |
| **1535** | 51.8 x 28.4 x 18.3 cm | 55.8 x 35.5 x 22.8 cm | 5.1 cm | 13.2 cm | 4.5 kg | 3.9 kg | 29.4 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 • ATA 300 | O | O | S | | S | | S | ■ ■ ■ ■ ■ ■ ■ ■* | **1535** |
| **1535TRVL** | 51.8 x 28.4 x 18.3 cm | 55.8 x 35.5 x 22.8 cm | 5.1 cm | 13.2 cm | N/A | 5.5 kg with organizers | 29.4 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 • ATA 300 | | | S | | S | | S | ■ ■ ■ ■ | **1535TRVL** |
| **1525** | 52.1 x 28.7 x 17.1 cm | 55.8 x 35.5 x 19 cm | 5.1 cm | 12.1 cm | 3.2 kg | 2.7 kg | 26.3 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | O | O | S | | S | | | ■ ■ ■* | **1525** |
| **1607** | 53.5 x 40.2 x 29.5 cm | 61.3 x 47.8 x 33.7 cm | 5.1 cm | 24.2 cm | 7.3 kg | 6 kg | 80.7 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ ■ ■ ■ | **1607** |
| **1556** | 54.9 x 27.3 x 22.8 cm | 59.5 x 34.3 x 26.8 cm | 5.1 cm | 17.7 cm | 5.1 kg | 4.4 kg | 38.5 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ | **1556** |
| **1555** | 58.4 x 32.4 x 19.1 cm | 62.9 x 39.3 x 20.9 cm | 5.1 cm | 14 cm | 4.1 kg | 3.3 kg | 36.8 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | O | O | S | | S | | | ■ ■ ■ ■ | **1555** |

S = Standard feature I O = Optional accessory

* These colours are available upon minimum quantities, as well as other configurations. Check with your Customer Service representative for further details.



For the most up-to-date information, please visit www.peli.com

For the most up-to-date information, please visit www.peli.com

# AIR CASES

| CAT. NO. | INTERIOR DIMENSIONS | EXTERIOR DIMENSIONS | LID DEPTH | BOTTOM DEPTH | WEIGHT WITH FOAM | WEIGHT WITHOUT FOAM | BUOYANCY MAXIMUM | TEMPERATURE RANGE (Min/Max) | CERTIFICATES | TREKPAK™ | PADDED DIVIDERS | RUBBERISED HANDLES | PANEL FRAMES | PERSONALISED NAMEPLATE | LID ORGANISER | WHEELS | COLOURS | CAT. NO. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **1637** | 59.5 x 44.6 x 33.7 cm | 67.6 x 52.5 x 37.8 cm | 5.1 cm | 28.4 cm | 8.8 kg | 6.9 kg | 94.8 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ ■ ■ ■ | **1637** |
| **1606** | 62.3 x 31.2 x 26 cm | 69.6 x 38.4 x 30 cm | 5.1 cm | 20.9 cm | 6.7 kg | 5.6 kg | 56.1 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ | **1606** |
| **1595** | 64.8 x 37.9 x 22.7 cm | 72.4 x 45.4 x 27.3 cm | 5.1 cm | 17.6 cm | 7.4 kg | 6.2 kg | 67.3 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ | **1595** |
| **1595 TRVL** | 64.8 x 37.6 x 22.7 cm | 72.4 x 45.4 x 27.3 cm | 5.1 cm | 17.6 cm | N/A | 7.3 kg with organizers | 67.3 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ ■ ■ ■ | **1595 TRVL** |
| **1605** | 66 x 35.6 x 21.3 cm | 73.3 x 42.6 x 23.2 cm | 5.1 cm | 16.2 cm | 5.3 kg | 4.2 kg | 51.2 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | O | O | S | | S | | | ■ ■ ■ ■ * | **1605** |
| **1626** | 71.5 x 35.8 x 29.8 cm | 79 x 43.3 x 33.9 cm | 5.1 cm | 24.7 cm | 8.2 kg | 6.6 kg | 84.1 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ | **1626** |
| **1615** | 75.2 x 39.4 x 23.8 cm | 82.8 x 46.7 x 28 cm | 5.1 cm | 18.7 cm | 8 kg | 6.4 kg | 76.7 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | O | O | S | | S | | S | ■ ■ ■ □ ■ ■ ■ * | **1615** |
| **1615TRVL** | 75.2 x 39.4 x 23.8 cm | 82.8 x 46.7 x 28 cm | 5.1 cm | 18.7 cm | N/A | 8.6 kg with organizers | 76.7 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ ■ ■ ■ | **1615TRVL** |
| **1646** | 81.4 x 40.3 x 34.1 cm | 89.6 x 48.3 x 38.3 cm | 5 cm | 29.1 cm | 11.7 kg | 9.3 kg | 119.3 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ | **1646** |
| **1705** | 81.3 x 30.9 x 16.5 cm | 82 x 37 x 18.5 cm | 5.1 cm | 10.9 cm | 4.8 kg | 4 kg | 42.9 kg | -17.8 / 71.1° C | IP67 • DEF STAN 81-42 | | | | | S | | | ■ | **1705** |
| **1745** | 111.8 x 42.6 x 20.3 cm | 118.6 x 49.2 x 22.2 cm | 6.4 cm | 13.8 cm | 9.6 kg | 7.8 kg | 98.4 kg | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ | **1745** |
| **1755** | 139.7 x 35.6 x 20.3 cm | 146.9 x 43.9 x 22.5 cm | 6.4 cm | 14 cm | 11.3 kg | 9.1 kg | | -51 / 71 °C | IP67 • DEF STAN 81-42 | | | S | | S | | S | ■ | **1755** |

**PELI AIR CASE COLOURS AVAILABLE**



Some colours may not be available in all models.

S = Standard feature I O = Optional accessory

* These colours are available upon minimum quantities, as well as other configurations. Check with your Customer Service representative for further details.



For the most up-to-date information, please visit www.peli.com

For the most up-to-date information, please visit www.peli.com

# PROTECTION SOLUTIONS

## ACCESSORIES



### PREMIUM PROTECTION: PELI+TREKPAK™

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and an infallible cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins. Learn more at peli.com/trekpak





### EFFORTLESS PROTECTION: EASY PICK N PLUCK™

Peli Air cases have been designed to protect equipment of all kinds, no matter the size or shape. Most Peli protector cases come with our Pick N Pluck™ shock-absorbent foam, pre-scored in tiny cubes. The item is placed on the foam, outlined with chalk, and then the cubes around the item are removed to form a secure, protective cocoon.



### HYBRID PROTECTION: PICK N PLUCK™+TREKPAK™

No longer choose between the versatility of the TrekPak divider system or the protection of the manually customisable Pick N Pluck™ foam. Peli Air Hybrid protection features both. Only available for the Peli Air 1535 case.



### PADDED DIVIDER SYSTEM

- Full Sewn Tub with Felt Exterior
- Velcro™ Compatible Nylex™ Interior
- Elastic Hold Down Straps
- High-Visibility Yellow Interior
- Set Includes: 1 Tub, 2 Large Dividers, 6 Medium Dividers, 3 Small Dividers



### EZ-CLICK™ MOLLE PANEL

The first lid organiser of its kind that can quickly be released and swapped out without tools. Engineered to fit in the 1535 Peli Air case, the panel is compatible with user-supplied MOLLE pouches and Velcro™ brand straps.

# TRAVEL CASES

## LIVE YOUR ADVENTURES WITH TOTAL PEACE OF MIND

Travelling with equipment in the field is one of the biggest issues for professionals who are frequently on the road or for those who go outdoors to live their adventures. Now you can travel smarter thanks to Peli Air Travel (TRVL) Cases.

Just take your indestructible and lightweight travel companion with you and Bon Voyage!

Lid organisers have zippered compartments for stowing larger items and see-through mesh pockets secure passports and cables. Packing cubes keep gear tightly bundled and allow you to arrange your gear by stacking or grouping side by side. Peli Air Travel Cases are also built for versatility. Just remove the packing cubes and replace with optional Trekpak™ dividers, padded dividers or Pick N Pluck™ foam interior solutions (available separately).

**PELI™ AIR 1615 TRAVEL CASE**
–WHEELED CHECK-IN*

Maximum airline dimensions for checked baggage without oversize charges.

**PELI™ AIR 1595 TRAVEL CASE**
–WHEELED CHECK-IN*

Mid-sized checked luggage.




**PELI™ AIR 1535 TRAVEL CASE**
–WHEELED CARRY-ON*

Optimized for carry-on/overhead bin size.

### FLY PAST ADDED LUGGAGE CHARGES

The Peli Air 1535 Travel case is optimised for carry-on/overhead bin sizes and the Peli Air 1615 Travel case is built to maximum airline dimensions* for checked baggage. The new Peli Air 1595 Check-in Travel case is the “in-between” size.

* Check with your airline for exact measurement requirements.


For the most up-to-date information, please visit www.peli.com

# LIGHTWEIGHT PROTECTION FOR ANYONE



**PREMIUM PROTECTION FOR PRO CAMERAS**

Having the right camera and being passionate about what you do is key to be a successful photographer. However, having the right protection for your valuable gear will help you focus on the job without worries.

The right camera case will allow you to travel safe, no matter where! Your equipment will be safe from weather conditions and rough handling.

Peli Air cases offer lightweight impact protection for all kind of cameras and with enough additional space for lenses, cables, optics and other accessories. Up to 40% lighter than other polymer protector cases, Peli Air is the preferred companion of those outdoor or travel photographers who need to travel lightweight, but still need the best of protection for their valuable DSLR cameras.

LEARN MORE
**www.peli.com/air-cameras**

Complement your Peli Air case with Peli´s extremely handy memory card cases or micro cases to store the smaller accessories.

Learn more at Peli.com.





**DEEP SIZED CASES FOR ULTIMATE DRONE FIT**

Peli Air cases will allow you to travel comfortably, while still offering the best protection for your drone.

Portability and compact-size have become important criteria when choosing a drone and thus the need of having a high impact resistant and efficient carrying case has become imperative.


With over 33 cm of depth, the deeper sized models will allow you to easily fit in your larger drone or quadcopter with all its accessories, like blades, props, cables, goggles, chargers and more.

LEARN MORE
**www.peli.com/drone-cases**

**ONE SIZE DOESN'T FIT ALL**

Peli understands that finding the right protection, with the perfect fit for your gear, is a priority. Peli Air began with long protection and quickly grew to offer you deep protection. The time has come to combine those two in order to create Peli's Long/Deep Series (cases 1506, 1556, 1606 and 1626).

Peli Air cases offer both long, deep, and long/deep variations you won't find in our Peli Protector Case line.




PELI BUILT TO PROTECT

**STEBER s.r.o.**
Kolónia 2856/61
92401 Galanta
SLOVAKIA
www.steberg.sk
info@steberg.sk

©2025 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Peli Products, S.L.U., its parent, subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit www.peli.com and www.pelicatalogue.com.
Part No. FEB 25

PELI.COM