

PELI™

PELI MOBILE MEDICAL

CATALOGUE

FEBRUARY 2024

SINCE 1976

READY TO RESPOND:

MEDICAL ESSENTIALS FROM PELI

PELI & THE MILITARY PARTNERS IN PERFORMANCE

For over half a century, Peli engineers have proudly developed custom solutions for the transport and packaging needs of the NATO. Our innovative products enable sensitive equipment to travel through hostile environments and arrive operational. Many of our models have been tested in the field as well as in combat situations. By developing custom solutions, testing new materials and continuously improving designs based on user feedback, we have been able to build this robust line of cases that proudly live up to the harsh demands of the military. We look forward to solving your toughest shipping issues and seriously encourage your requests for specific-need cases. After all, in the field, top-notch performance matters most.

Complementing our commitment to robust transport solutions, Peli offers state-of-the-art portable lighting systems. This range encompasses a variety of tactical and safety-approved flashlights and remote area lighting systems (RALS floodlights). These products provide fully portable, powerful, energy-efficient, and rechargeable lighting to remote areas and confined spaces without relying on a generator. Whether it's ensuring visibility in tactical operations or illuminating remote locations, our lighting solutions stand ready to meet the most demanding requirements with reliability and efficiency.

Icon indicates select models with wheels


Rechargeable light

TABLE OF CONTENTS

Configurable medical cases	04
Emergency lighting systems	12
EMS & protective cases	14
Heavy-duty Coolers	16
Case Accessories	17

CONFIGURABLE MEDICAL CASES

Peli-Hardigg™ Mobile Military Cases keep your sensitive and vital equipment safe from moisture, dust, sand, salt and even impact. Safe inside, your gear is protected against drop damage while the rib design maximizes stacking and stability en route. When you open a Peli-Hardigg™ Military case, be assured you'll find what you packed inside arrives fully operational. We know lives are counting on you, so you can count on us.





MEDICAL SUPPLY TRUNK

ITEM NO.	COLOUR
474-MED-30180802-250	Tan
474-MED-30180802-133	Gray
474-MED-30180802-137	Olive Drab
474-MED-30180802-032	Black

INTERIOR DIMS:
75.6 x 45.4 x 27.4 cm (29.75"L x 17.87"W x 10.80"D)

- This versatile medical supply trunk features a fully removable lid.
- Wheels included for mobility.

This Peli-Hardigg™ AL3018-0802W case has a removable lid with black carbon steel hardware, two comfort grip handles, a rivet vent, and edge casters.

NSN Number: 6545-01-508-5577 (Olive Drab)



MEDICAL SUPPLY TRUNK

ITEM NO.	COLOUR
474-MED-30181502-250	Tan
474-MED-30181502-133	Gray
474-MED-30181502-137	Olive Drab
474-MED-30181502-032	Black

INTERIOR DIMS:
75.6 x 45.4 x 44.4 cm (29.75"L x 17.87"W x 17.49"D)

- This versatile medical supply trunk features a fully removable lid.
- Wheels included for mobility.

This Peli-Hardigg™ AL3018-1502W case has a removable lid with black carbon steel hardware, two comfort grip handles, a pressure release valve and edge casters.

NSN Number: 6545-01-508-5590 (Olive Drab)



MEDICAL SUPPLY TRUNK

ITEM NO.	COLOUR
474-MED-30181509-250	Tan
474-MED-30181509-133	Gray
474-MED-30181509-137	Olive Drab
474-MED-30181509-032	Black

INTERIOR DIMS:
75.6 x 45.4 x 61.3 cm (29.75"L x 17.87"W x 24.12"D)

- This midsize case is perfect when you need to ship supplies—plus a little extra.
- Wheels included for mobility.

This Peli-Hardigg™ AL3018-1509W case has black carbon steel hardware, two comfort grip handles, a pressure release valve and edge casters.

NSN Number: 6545-01-508-5608 (Olive Drab)



MEDICAL SUPPLY TRUNK

ITEM NO.	COLOUR
474-MED-30183602-250	Tan
474-MED-30183602-133	Gray
474-MED-30183602-137	Olive Drab
474-MED-30183602-032	Black

INTERIOR DIMS:
75.6 x 45.4 x 98.7 cm (29.75"L x 17.87"W x 38.87"D)

- This carrier boasts 331 Liters (11.7 cubic feet) of transportable protection for large, bulky items.
- Wheels included for mobility.

This Peli-Hardigg™ AL3018-3602W case with 331 Liters (11.7 cubic feet) of usable space has black carbon steel hardware, two black stainless steels handles, a pressure release valve and edge casters.

NSN Number: 6545-01-508-5584 (Olive Drab)

MEDCHEST 1



ITEM NO.	COLOUR
474-MEDCHEST1-250	Tan
474-MEDCHEST1-133	Gray
474-MEDCHEST1-137	Olive Drab
474-MEDCHEST1-032	Black
474-MEDCHEST1-182	OD Fire Retardant

- The medchest leg set converts the lid to a table.

INTERIOR DIMS:
45.7 x 30.5 x 20.3 cm (18.00"L x 12.00"W x 8.00"D)

This Peli-Hardigg™ AL1812-0602 medical case has a removable lid, black carbon steel hardware, two comfort grip handles, a pressure relief valve and one 7,6 x 12,7 cm card holder.

NSN Number: 6545-01-549-3631 (Olive Drab, Fire Retardant)

MEDCHEST 2



ITEM NO.	COLOUR
474-MEDCHEST2-250	Tan
474-MEDCHEST2-133	Gray
474-MEDCHEST2-137	Olive Drab
474-MEDCHEST2-032	Black
474-MEDCHEST2-182	OD Fire Retardant

- The medchest leg set converts the lid to a table.

INTERIOR DIMS:
75.6 x 45.4 x 18.1 cm (29.75"L x 17.87"W x 7.12"D)

This Peli-Hardigg™ AL3018-0402 medical case has a removable lid, black stainless steel hardware, two black stainless steel handles, a pressure relief valve and ID plate.

NSN Number: 6545-01-549-3650 (Olive Drab, Fire Retardant)

MEDCHEST 3



ITEM NO.	COLOUR
474-MEDCHEST3-250	Tan
474-MEDCHEST3-133	Gray
474-MEDCHEST3-137	Olive Drab
474-MEDCHEST3-032	Black
474-MEDCHEST3-182	OD Fire Retardant

- The medchest leg set converts the lid to a table.
- Wheels included for mobility.

INTERIOR DIMS:
75.6 x 45.4 x 27.4 cm (29.75"L x 17.87"W x 10.80"D)

This Peli-Hardigg™ AL3018-0802 medical case has a removable lid, black carbon steel hardware, six comfort grip handles, a pressure relief valve, edge casters, a 7,6 x 12,7 cm card holder and ID Plate.

NSN Number: 6545-01-533-8202 (Olive Drab, Fire Retardant)

MEDCHEST 4



ITEM NO.	COLOUR
474-MEDCHEST4-250	Tan
474-MEDCHEST4-133	Gray
474-MEDCHEST4-137	Olive Drab
474-MEDCHEST4-032	Black
474-MEDCHEST4-182	OD Fire Retardant

- The medchest leg set converts the lid to a table.
- Wheels included for mobility.

INTERIOR DIMS:
75.6 x 45.4 x 33 cm (29.75"L x 17.87"W x 12.99"D)

This Peli-Hardigg™ AL3018-0903 medical case has a removable lid, black carbon steel hardware, six comfort grip handles, a pressure relief valve, edge casters, a 7,6 x 12,7 cm card holder and ID Plate.

NSN Number: 6545-01-549-3724 (Olive Drab, Fire Retardant)

MEDCHEST 5



ITEM NO.	COLOUR
474-MEDCHEST5-250	Tan
474-MEDCHEST5-133	Gray
474-MEDCHEST5-137	Olive Drab
474-MEDCHEST5-032	Black
474-MEDCHEST5-182	OD Fire Retardant

- The medchest leg set converts the lid to a table.
- Wheels included for mobility.

INTERIOR DIMS:
76.2 x 45.7 x 40.6 cm (30.00"L x 18.00"W x 16.00"D)

This Peli-Hardigg™ AL3018-0906 medical case has a removable lid, black carbon steel hardware, six comfort grip handles, a pressure relief valve, edge casters, a removable metal divider plate installed in the lid, a 7,6 x 12,7 cm card holder and an ID Plate.

NSN Number: 6545-01-549-3729 (Olive Drab, Fire Retardant)

MEDCHEST 6



ITEM NO.	COLOUR
474-MEDCHEST6-250	Tan
474-MEDCHEST6-133	Gray
474-MEDCHEST6-137	Olive Drab
474-MEDCHEST6-032	Black
474-MEDCHEST6-182	OD Fire Retardant

- The medchest leg set converts the lid to a table.
- Wheels included for mobility.

INTERIOR DIMS:
75.6 x 45.4 x 47.3 cm (29.75"L x 17.87"W x 18.62"D)

This Peli-Hardigg™ AL3018-0909 medical case has a removable lid, black carbon steel hardware, eight comfort grip handles, a pressure relief valve, edge casters, removable metal divider plate in the lid, a 7,6 x 12,7 cm card holder and an ID Plate.

NSN Number: 6545-01-545-6291 (Olive Drab, Fire Retardant)

MEDCHEST 7 with OPTIONAL SHELF KIT



*Case contents not included.

ITEM NO.	COLOUR
474-MEDCHEST7-250	Tan
474-MEDCHEST7-133	Gray
474-MEDCHEST7-137	Olive Drab
474-MEDCHEST7-032	Black
474-MEDCHEST7-182	OD Fire Retardant
474-MEDCHEST7-SHLFKT	*Optional

- The medchest leg set converts the lid to a table.
- Wheels included for mobility.
- ***Optional Shelf Kit:** For the Medchest 7 only. The kit contains two removable aluminum shelves that can be placed at multiple heights inside the case. The kit is ordered separately and is customer installed.

INTERIOR DIMS:
75.6 x 45.4 x 44.4 cm (29.75"L x 17.87"W x 17.49"D)

***Optional Shelf Kit:** 14.5"L x 15.75"W x 6.38"D

***Optional Shelf Kit NSN No:**
8145-01-579-0163

This Peli-Hardigg™ AL3018-1502 medical case has a removable lid, black carbon steel hardware, eight comfort grip handles, a pressure relief valve, edge casters, bottom bumpers, a 7,6 x 12,7 cm card holder and an ID Plate.

NSN Number: 6545-01-545-6369 (Olive Drab, Fire Retardant), 6545-01-611-7713 (Olive Drab)



MEDCHEST LEG SET

ITEM NO.	
474-MEDLEG-SET	

This Peli-Hardigg™ Leg Set quickly turns a Peli medical case into a stable, strong table system. The kit includes four high-strength aluminum and stainless steel legs and two leg braces in a heavy duty bag for easy transport. The upper leg has a slot that holds a lid catch well, and the leg's lower slot holds the base strike well for alignment and strength. The legs are strengthened side to side using the two braces that also support the lid.

NSN Number: 6515-01-545-6329

For the most up-to-date information, please visit www.peli.com

MEDICAL LIGHT DUTY 3 DRAWER



ITEM NO.	COLOUR
474-MED-3-DRAWER-250	Tan
474-MED-3-DRAWER-133	Gray
474-MED-3-DRAWER-137	Olive Drab
474-MED-3-DRAWER-032	Black
474-MED-3-DRAWER-182	OD Fire Retardant

INTERIOR DIMS:
75.6 x 45.4 x 44.4 cm (29.75"L x 17.87"W x 17.49"D)

Drawers: 14.5"L x 15.8"W x 6.4"D

Drawer NSN No: 6545-01-499-5707

This Peli-Hardigg™ AL3018-1502 drawer case has three light-duty injection moulded sleeve drawers, a double barrel stainless steel hinged lid with black carbon steel hardware, two comfort grip handles, a rivet vent, lid pouch, cargo net for top shelf, edge casters and bottom bumpers.

NSN Number: 6545-01-499-5674 (Olive Drab)



MEDICAL LIGHT DUTY 4 DRAWER



ITEM NO.	COLOUR
474-MED-4-DRAWER-250	Tan
474-MED-4-DRAWER-133	Gray
474-MED-4-DRAWER-137	Olive Drab
474-MED-4-DRAWER-032	Black

INTERIOR DIMS:
75.6 x 45.4 x 44.4 cm (29.75"L x 17.87"W x 17.49"D)

- **Drawers:** 14.5"L x 15.8"W x 6.4"D (36,8 x 40,1 x 16,3 cm)

This Peli-Hardigg™ AL3018-1502 drawer case has four light-duty injection moulded sleeve drawers, a double barrel stainless steel hinged lid with black carbon steel hardware, two comfort grip handles, a rivet vent, edge casters and bottom bumpers.

NSN Number: 6545-01-511-4939 (Olive Drab)

MEDCHEST3 4 DRAWER



*Case contents not included.

ITEM NO.	COLOUR
474-MEDCHEST3-4D-250	Tan
474-MEDCHEST3-4D-133	Gray
474-MEDCHEST3-4D-137	Olive Drab
474-MEDCHEST3-4D-032	Black
474-MEDCHEST3-4D-182	OD Fire Retardant

INTERIOR DIMS:
75.6 x 45.4 x 27.4 cm (29.75"L x 17.87"W x 10.80"D)

- **Drawers:** 15"L x 6.9"W x 7.8"D (38,1 x 17,5 x 19,8 cm)

This Peli-Hardigg™ AL3018-0802 medical case has four heavy-duty full extension sliding drawers, a removable lid, black carbon steel hardware, eight comfort grip handles, a pressure relief valve, edge casters, a removable metal divider plate installed in the lid, a 7,6 x 12,7 cm card holder and an ID Plate.

NSN Number: 8145-01-565-3686 (Olive Drab, Fire Retardant), 8145-01-607-3487 (Olive Drab)

MEDCHEST3 8 DRAWER



ITEM NO.	COLOUR
474-MEDCHEST3-8D-250	Tan
474-MEDCHEST3-8D-133	Gray
474-MEDCHEST3-8D-137	Olive Drab
474-MEDCHEST3-8D-032	Black
474-MEDCHEST3-8D-182	OD Fire Retardant


INTERIOR DIMS:
75.6 x 45.4 x 27.4 cm (29.75"L x 17.87"W x 10.80"D)

- **Drawer No 1-4:** 38,1 x 7,4 x 19,8 cm (15"L x 2.9"W x 7.8"D)
- **Drawer No 5 & 6:** 38,1 x 9,9 x 19,8 cm (15"L x 3.9"W x 7.8"D)
- **Drawer No 7 & 8:** 38,1 x 12,4 x 19,8 cm (15"L x 4.9"W x 7.8"D)

This Peli-Hardigg™ AL3018-0802 medical case has eight heavy-duty full extension sliding drawers, a removable lid, black carbon steel hardware, eight comfort grip handles, a pressure relief valve, edge casters, a 7,6 x 12,7 cm card holder and an ID Plate.

NSN Number: 6545-01-533-8207 (Olive Drab, Fire Retardant), 6545-01-611-7720 (Olive Drab)

MEDCHEST STABILIZATION FEET



ITEM NO.
474-MED-STBLZ-KIT

STABILIZER FEET DIMS:
45.2 x 13.5 x 5.8 cm (17.8"L x 5.3"W x 2.3"D)

- Medchest Stabilization Feet are used on Medchests with drawers to keep the case in a stable vertical position while the drawers are opened and closed.

This kit contains two aluminum stabilizers, two plastic feet to hold the stabilizers on the case and a lid cushion to store the stabilizers when not in use.

NSN Number: 6530-01-585-8660

GROUND AMBULANCE CASE





ITEM NO.	COLOUR
474-MED-AMB-250	Tan
474-MED-AMB-133	Gray
474-MED-AMB-137	Olive Drab
474-MED-AMB-032	Black
INTERIOR DIMS: 213.4 x 93 x 89.4 cm (84.00"L x 36.60"W x 35.20"D)	

- Waterproof and dustproof proof case is held secure with 20 military grade latches.
- Long enough to transport a medical litter.
- Fork truck provisions come standard.
- Case is air droppable and sling loadable.

This Peli-Hardigg™ BL8537-2906 ground ambulance case features 1784 Liters (63 cubic feet) of storage space. It has black stainless steel hardware, four large stainless steel handles on the base and four small handles on the lid, internal bracing, three pressure release valves and three skid runners for fork truck mobility.

NSN Number: 8145-01-565-3684 (Olive Drab), 8145-01-565-3685 (Desert Tan)

TANKMATE™ CASE



ITEM NO.	COLOUR
474-TANKM-D-2-250	Tan
474-TANKM-D-2-133	Gray
474-TANKM-D-2-137	Olive Drab
474-TANKM-D-2-032	Black
INTERIOR DIMS: 66.3 x 37.8 x 13.7 cm (26.10"L x 14.90"W x 5.40"D)	

- Protects two 95 GL tanks. (tanks not included)
- Moulded in handles and tethered lid.
- Pallet Stackable design.

This Peli-Hardigg™ TankMate™ case is a custom roto moulded case designed to protect two 95 GL tanks. It is impervious to temperature and impact—the weather-resistant rotationally moulded shell has moulded-in handles and ribs to make lifting a breeze and keep stacked TankMate™ case in place no matter how tough the ride.

NSN Number: 8145-01-571-5102 (Olive Drab), 8145-01-570-7719 (Desert Tan)

MED 4 TOTE



ITEM NO.	COLOUR
474-MED-4-TOTE-250	Tan
474-MED-4-TOTE-133	Gray
474-MED-4-TOTE-137	Olive Drab
474-MED-4-TOTE-032	Black
INTERIOR DIMS: 75.6 x 45.4 x 27.4 cm (29.75"L x 17.87"W x 10.80"D)	

- Two sizes of handy totes plus two web handles, removable lid and edge casters make this set a durable, impact-resistant mobile system.

Tote Large: 17,8 x 41,9 x 27,3 cm (7"L x 16.5"W x 10.75"D)	**Tote Large NSN No:** 6545-01-499-5698
Tote Small: 12,7 x 41,9 x 27,3 cm (5"L x 16.5"W x 10.75"D)	**Tote Small NSN No:** 6545-01-499-5693

This Peli-Hardigg™ AL3018-0802W case has three large and one small light-duty injection moulded totes. This case has a removable lid, black carbon steel hardware, two comfort grip handles, a rivet vent, and edge casters.

NSN Number: 6545-01-499-5676 (Olive Drab)

MED 5 TOTE



ITEM NO.	COLOUR
474-MED-5-TOTE-250	Tan
474-MED-5-TOTE-133	Gray
474-MED-5-TOTE-137	Olive Drab
474-MED-5-TOTE-032	Black
INTERIOR DIMS: 75.6 x 45.4 x 27.4 cm (29.75"L x 17.87"W x 10.80"D)	

- Two sizes of handy totes plus two web handles, removable lid and edge casters make this set a durable, impact-resistant mobile system.

Tote Large: 22,9 x 31,8 x 27,3 cm (9"L x 12.5"W x 10.75"D)	**Tote Large NSN No:** 6545-01-499-5690
Tote Small: 15,2 x 22,9 x 27,3 cm (6"L x 9"W x 10.75"D)	**Tote Small NSN No:** 6545-01-499-5692
Tote Long: 8,9 x 71,1 x 27,3 cm (3.5"L x 28"W x 10.75"D)	**Tote Long NSN No:** 6545-01-499-5687

This Peli-Hardigg™ AL3018-0802W case has two large, two small and one long light-duty injection moulded totes. This case has a removable lid, black carbon steel hardware, two comfort grip handles, a rivet vent, and edge casters.

NSN Number: 6545-01-499-5671 (Olive Drab)









For the most up-to-date information, please visit www.peli.com

CONFIGURABLE MEDICAL CASES



EMERGENCY LIGHTING

Peli lighting tools significantly boost safety and operational efficiency, crucial for military medical personnel. With Peli's advanced flashlight, you're equipped for any scenario, ensuring clear visibility in critical situations. Additionally, Peli Remote Area Lighting Systems (RALS) deliver portable, lightweight, battery-powered illumination, enhancing performance and ensuring safer work environments.

FLASHLIGHT APPLICATIONS:
- Distress signal
- Search and rescue operations
- Access disoriented victims
- Emergency preparedness kit

RALS APPLICATIONS:
- Field hospitals
- Command centers
- Clean-up operations
- Walkways and perimeter lighting

FLASHLIGHTS

9050



LIGHT SOURCE: LED

BATTERIES: 2 18650 Lithium-ion (included)

LENGTH: 20,4 cm (8.03")

MODES: High / Low / Flashing
Flexible battery system

LUMENS 3369 UP TO
RUN TIME 5h 30m

2750 HEADLAMP



LIGHT SOURCE: LED

BATTERIES: 3 AAA Alkaline (included)

LENGTH: 5.7 cm (2.25")

MODES: High / Low / Flashing /
Red LED / Low Battery Warning

(Photoluminescent)

LUMENS 259 UP TO
RUN TIME 11h

3415MZ0



Includes magnetic clip

LIGHT SOURCE: LED

BATTERIES: 3 AA Alkaline

LENGTH: 18.9 cm (7.44")

CERTIFICATIONS:
II 1 G Ex ia op is IIC T4 Ga

MODES: High / Flashing

SAFETY CERTIFIED
LUMENS 329
RUN TIME 15h

9415Z0



LIGHT SOURCE: LED

BATTERIES: 4 C NiMH (included)

LENGTH: 22.2 cm (8.75")

CERTIFICATIONS:
II 1 G Ex ia IIC T4 Ga

MODES: High / Low / Flashing

SAFETY CERTIFIED
LUMENS 530
RUN TIME 11h 30m

RALS

9440



LIGHT SOURCE:
High Flux LEDs

DIMENSIONS:
95 x 20 x 20 cm (37.40" x 7.87" x 7.87")

LIGHT HEAD HEIGHT (MAX.):
215.9 cm (85.0")

BEAM SPREAD:
125º

- Deployable 2,1 m Mast
- Battery level indicator

LUMENS 5300 UP TO
RUN TIME 8h

9460



LIGHT SOURCE:
High Flux LEDs

DIMENSIONS:
59.1 x 35.6 x 23.5 cm (23.25" x 14.00" x 9.25")

LIGHT HEAD HEIGHT (MAX.):
201.9 cm (79.50")

BEAM SPREAD:
120º

- 12volt Power Supply with Dual USB Adapter
- Full time battery level indication with low level flashing indicator
- Housed in a Peli™ Protector Case™

LUMENS 12000 UP TO
RUN TIME 24h

9470



LIGHT SOURCE:
High Flux LEDs

DIMENSIONS:
62.9 x 50.8 x 29.8 cm (24.75" x 20.00" x 11.75")


LIGHT HEAD HEIGHT (MAX.):
208.3 cm (82.00")

BEAM SPREAD:
120º

- 12volt Power Supply with Dual USB Adapter
- Full time battery level indication with low level flashing indicator
- Housed in a Peli™ Protector Case™

LUMENS 24000 UP TO
RUN TIME 24h

9490



LIGHT SOURCE:
High Flux LEDs

DIMENSIONS:
50.8 x 16.5 x 28.6 cm (20.00" x 6.50" x 11.25")

LIGHT HEAD HEIGHT (MAX.):
182.9 cm (72.0")

BEAM SPREAD:
125º

- Deployable 1,83 m Mast
- Intelligent Control (allows various light output levels)
- Full time battery level indication with low level flashing indicator
- Quick release / Hot swappable battery design with 12 volt power supply

LUMENS 6000 UP TO
RUN TIME 24h

9730

COMING SOON



LIGHT SOURCE:
High Flux LEDs

LIGHT HEAD HEIGHT (MAX.):
101,6 cm (40")

- Evolution of 9430 and 9480 RALS
- New Light Heads and batteries are interchangeable and upgradeable
- Light heads are removable for external tripod use
- Multiple battery sizes and chemistries (SLA & Li-ion) available

LUMENS 6000 UP TO
RUN TIME 24h

9750

COMING SOON



LIGHT SOURCE:
High Flux LEDs

LIGHT HEAD HEIGHT (MAX.):
101,6 cm (40")

- Evolution of 9430 and 9480 RALS
- New Light Heads and batteries are interchangeable and upgradeable
- Light heads are removable for external tripod use
- Multiple battery sizes and chemistries (SLA & Li-ion) available

LUMENS 10000 UP TO
RUN TIME 24h



EMS & PROTECTIVE CASES

Secure transport and storage of personal protective equipment and disaster supplies.

CASE APPLICATIONS:

- Protection for Ventilators
- Portable Medical equipment
- Medical Testing Kits
- Personal protective equipment
- Transport communication equipment
- Clothing
- Automated external defibrillator
- First aid kits
- First aid supplies
- Search & Rescue operations
- Oxygen tanks
- Regulators

EMS CASES



1500EMS ACCESSORY*

- Multi layer lid organiser with numerous clean pockets - find everything right away
- Lid organiser clear cover with VELCRO® brand fasteners - keeps supplies in place during transport



1550EMS ACCESSORY*

- Padded dividers with adjustable walls for customising compartments to any size.

* EMS accessory kit. Medical supplies not included





1465EMS AIR CASE

- Removable trays are easy to wipe down to keep sanitized
- Three tier customisable pullout trays give you the flexibility to organise
- Storage bracket keeps used and sharp objects contained. *Sharps container not included




PELI™ MICRO CASES

CAT. NO.	INTERIOR DIMENSIONS CM (INCHES)	EXTERIOR DIMENSIONS CM (INCHES)
M40	15.2 x 9.7 x 5.3 cm (6.00" x 3.80" x 2.10"	17.3 x 12.7 x 6.6 cm (6.80" x 5.00" x 2.60")
M50	18.5 x 10.9 x 6.1 cm (7.30" x 4.30" x 2.40")	20.6 x 14 x 7.4 cm (8.10" x 5.50" x 2.90")
M60	21.6 x 10.9 x 6.9 cm (8.50" x 4.30" x 2.70")	23.6 x 15.2 x 8.1 cm (9.30" x 6.00" x 3.20")
1010	11.1 x 7.3 x 4.3 cm (4.37" x 2.87" x 1.68")	14.9 x 10.3 x 5.4 cm (5.88" x 4.06" x 2.12")
1015	13.1 x 6.7 x 3.5 cm (5.14" x 2.64" x 1.37")	17 x 9.9 x 4.7 cm (6.68" x 3.88" x 1.86")
1020	13.5 x 9 x 4.3 cm (5.31" x 3.56" x 1.68")	17.3 x 12.1 x 5.4 cm (6.82" x 4.75" x 2.12")
1030	16.2 x 6.7 x 5.2 cm (6.37" x 2.62" x 2.06")	19.1 x 9.8 x 6.2 cm (7.50" x 3.87" x 2.43")
1040	16.5 x 9.8 x 4.4 cm (6.50" x 3.87" x 1.75")	19.1 x 12.9 x 5.4 cm (7.50" x 5.06" x 2.12")
1050	16 x 9.3 x 7 cm (6.31" x 3.68" x 2.75")	20.3 x 12.9 x 7.9 cm (7.99" x 5.06" x 3.12")
1060	21 x 10.8 x 5.7 cm 8.25" x 4.25" x 2.25")	25.1 x 14.2 x 6.7 cm (9.88" x 5.59" x 2.63")

PELI™ PROTECTOR CASE™

CAT. NO.	INTERIOR DIMENSIONS CM (INCHES)	EXTERIOR DIMENSIONS CM (INCHES)
1150	21.1 x 14.7 x 9.5 cm (8.29" x 5.79" x 3.75")	24 x 19.8 x 10.9 cm (9.44" x 7.80" x 4.29")
1200	23.5 x 18.1 x 10.5 cm (9.25" x 7.12" x 4.12")	27 x 24.6 x 12.4 cm (10.62" x 9.68" x 4.87")
1450EU	37.4 x 26 x 15.4 cm (14.72" x 10.22" x 6.08")	40.9 x 33.1 x 17.5 cm (16.10" x 13.03" x 6.88")
1500EU	42.8 x 28.6 x 15.5 cm (16.84" x 11.27" x 6.09")	47.1 x 35.7 x 17.5 cm (18.54" x 14.05" x 6.89")
1510	50.2 x 27.9 x 19.3 cm (19.75" x 11.00" x 7.60")	55.9 x 35.1 x 22.9 cm (22.00" x 13.81" x 9.00")
1520EU	44.9 x 31.8 x 17.1 cm (17.68" x 12.53" x 6.73")	49.9 x 39.3 x 19.1 cm (19.65" x 15.49" x 7.53")
1550EU	47.3 x 36 x 19.6 cm (18.63" x 14.18" x 7.71")	52.5 x 43.5 x 21.6 cm (20.66" x 17.12" x 8.51")
1560	50.6 x 38 x 22.9 cm (19.92" x 14.98" x 9.00")	56.1 x 45.5 x 26.5 cm (22.07" x 17.92" x 10.42")
1600EU	54.6 x 42 x 20.2 cm (21.51" x 16.54" x 7.95")	61.8 x 49.4 x 22.2 cm (24.35" x 19.46" x 8.75")
1610EU	55.1 x 42.2 x 26.8 cm (21.68" x 16.62" x 10.56")	62.8 x 49.7 x 30.3 cm (24.71" x 19.58" x 11.93")
1660EU	71.6 x 50.2 x 44.8 cm (28.18" x 19.75" x 17.62")	80 x 58.1 x 48.3 cm (31.50" x 22.87" x 19.00")
1465EMS	47.3 x 25.4 x 27.8 cm (18.62" x 9.99"x 10.93")	52.9 x 32.1 x 32.4 cm (20.83" x 12.62" x 12.75")





HEAVY-DUTY COOLERS

Designed to withstand the most demanding environments, Peli Coolers offer unmatched reliability and durability for medical military applications. Engineered to keep critical supplies and medications at optimal temperatures.



8QT COOLER

INTERIOR DIMENSIONS: 27.4 x 16.3 x 19.1 cm (10.80" x 6.40" x 7.50")

EXTERIOR DIMENSIONS: 34 x 24 x 26.7 cm (13.40" x 9.45" x 10.50")

INT. VOLUME: 0.008 m³ (0.3 ft³)

WEIGHT: 2.3 kg (5.00 lbs)

- All-Day Cold Retention.
- Integrated, Removable Ice Pack.
- Removable Inner Tray.
- Dry Storage Compartment in the Lid.



BACKPACK COOLER

INTERIOR DIMENSIONS: 26.9 x 13 x 13.5 cm (10.60" x 5.10" x 5.30")

EXTERIOR DIMENSIONS: 30.7 x 18 x 55.1 cm (12.10" x 7.10" x 21.70")

INT. VOLUME: 0.005 m³ (0.17 ft³)

WEIGHT: 4.2 kg (9.30 lbs)

- High density closed cell foam for extreme insulation.
- Leak-resistant zipper with a waterproof seal, keeping the ice and contents where they belong.
- Puncture-resistant material stands up to the hard knocks of field use.
- Exterior pocket keeps dry goods separate and secure.



SLING COOLER

INTERIOR DIMENSIONS: 37.1 x 15 x 15 cm (14.60" x 5.90" x 5.90")

EXTERIOR DIMENSIONS: 46.5 x 19.1 x 19.1 cm (18.30" x 7.50" x 7.50")

INT. VOLUME: 0.008 m³ (0.29 ft³)

WEIGHT: 3.6 kg (7.90 lbs)

- High density closed cell foam for extreme insulation.
- Leak-resistant zipper with a waterproof seal, keeping the ice and contents where they belong.
- Puncture-resistant material stands up to the hard knocks of field use.
- Exterior pocket keeps dry goods separate and secure.

CASE ACCESSORIES



EZ-CLICK™ MOLLE PANELS

Efficiently organise lifesaving equipment inside the lid of the case. This is the first lid organiser of its kind that can quickly be released and swapped out without tools. Engineered to fit in the 1510, 1560 and 1535 Peli cases Peli cases, the panel is compatible with user supplied MOLLE pouches and Velcro™ brand straps.



CAR MOUNTING BRACKETS

COMING SOON

Securely attach your trusted Peli cases to vehicles for ultimate on-the-go durability with Peli Legacy Mounting Brackets. Engineered for stability and ease, allowing you to access your gear without removing the case from the bracket.

PELI BIOTHERMAL™

Temperature-Controlled Packaging Solutions



For inquiries, please contact: info@pelibiothermal.com



More info

LEARN MORE ABOUT + OUR PRODUCTS

AVAILABLE IN 18 LANGUAGES!

www.peli.com

www.pelicatalogue.com

www.peli.com/webinars

EMEAI / www.peli.com

EUROPE, MIDDLE EAST & AFRICA HEADQUARTERS
PELI PRODUCTS, S.L.U.
C/ Provença, 388 Planta 7
08025 • Barcelona, Spain
Tel +34 934 674 999

FRANCE
PELI PRODUCTS FRANCE S.A.S.
20/22 Rue des Petits Hôtels
75010 Paris, France
Tel +33 (0)1 44 83 95 63

UK
PELI HARDIGG UK
Unit 4, Brookfield Industrial Estate
Leacon Road
Ashford Kent TN23 4TU
Tel + 44 (0) 1233 895 895

GERMANY
PELI PRODUCTS GERMANY GmbH
Neudorfer Strasse 285 C
09474 Crottendorf
Germany
Tel +49 (0)37344 313999

DENMARK
PELI PRODUCTS DENMARK APS
Midtermolen 1, 2. tv.
2100 Copenhagen, Denmark
Tel: +34 934 674 999

NETHERLANDS
PELI PRODUCTS NETHERLANDS B.V.
Basisweg, 10
1043AP Amsterdam,
The Netherlands
Tel +34 934 674 999

ITALY
PELI PRODUCTS ITALY S.R.L.
Viale Monte Nero, 84
20135 Milano, Italy
Tel +34 934 674 999

POLAND
PELI PRODUCTS POLAND SP. Z O.O.
ul. Stary Rynek 38-39
61-772 Poznan, Poland
Tel +34 934 674 999

UAE
PELICAN PRODUCTS FZE
JAFZA One Building A
office 1511/1512
Jebel Ali Free Zone gate 5
P.O.Box 261008
Dubai – United Arab Emirates
Tel +971 4 8876550

INDIA
PELICAN PRODUCTS AND SERVICES INDIA PVT. LTD
Level "4", Augusta Point,
Sector-53,
Golf Course Road,
Gurgaon 122002 Haryana, India
Tel +91 124 4354148

U.S.A.

U.S.A. & GLOBAL HEADQUARTERS
23215 Early Avenue
Torrance, CA 90505 USA
Tel 310.326.4700
800.473.5422 (Outside CA)

* We also have offices in Canada, Japan, China, Australia and South Korea

Distributed by:

STEBERG

STEBERG s.r.o.
Kolónia 2856/61, 924 01 Galanta
TEL +421 905 411 678
EMAIL info@steberg.sk
IČO 46604049
IČ DPH SK2023484540
www.steberg.sk

Follow us on: PELInsights subscribe now!

PELI™ BUILT TO PROTECT™

©2024 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Peli Products, S.L.U., its parent, subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit www.peli.com and www.pelicatalogue.com.
FEB 24

PELInsights



Check out our latest posts on Peli Cases, get to know our Pro Users and take part in our different programs.

This and more on the brand new PELI blog!

